

GOVERNMENT OF TELANGANA
ABSTRACT

MGKLIS - Annual Estimate for Operation & Maintenance of MGKLIS – Lift-II (Stage– II) pumping station consisting of 5 Nos. of Units with 30 MW capacity and 800 cusecs discharge each at Jonnalaboguda Balancing Reservoir near Khanapur(V), Kodair(M), Nagarkurnool District for three years period from 01.06.2020 to 31.05.2023 – Administrative approval for an amount of Rs.10.131 Crores - Orders - Issued.

=====

IRRIGATION & CAD (PROJECTS-II) DEPARTMENT

G.O.Rt.No. 162

Dated: 08-04-2021

Read:

From the ENC (Irrigation), Hyderabad, Lr No.ENC(I)/DCE IV/OT4/AEE12/MGKLIS/ Lift-II/O&M, Dt.28.03.2020.

&&&

ORDER:

After careful examination of the proposal of the Engineer-in-Chief(Irrigation), Hyderabad in the reference read above, Government hereby accord administrative approval for Operation & Maintenance of Mahatma Gandhi kalwakurthy Lift Irrigation Scheme (MGKLIS), LIFT-II (Stage-II) for the years 2020-2021, 2021-22 & 2022-2023 as per the G.O.Ms No.33, I & CAD (Reforms) Department, Dt:12.06.2017, for an amount of Rs.10.131 Crores, subject to the following conditions:

- i) The Chief Engineer(Irrigation), Nagarkurnool should ensure that the payments are regularized based on pumping and Non-pumping periods.
- ii) The Chief Engineer(Irrigation), Nagarkurnool should ensure the provisions made/correctness of quantities before according technical sanction.
- iii) The provision towards replacement / repairs of major spare parts costing more than ₹.5000/- for reimbursement to the agency shall be as per actual expenditure after obtaining permission of the department.
- iv) Following due procurement procedures for entrustment, keeping in view of O&M guidelines for fixing the agency.
- v) As per the provisions of O&M work is based on O&M policy norms and cost is tentative, the payments shall be performance based for which list of parameters shall be clearly specified for the O&M scheme and agency shall be penalized for any deviation as indicated at para 3-3 & 3-4 of G.O.Ms.No.33, dated:12.06.2017.
- vi) Departmental Engineers shall closely Monitor the month wise activity log of the work agency for quality and quantity and to propose financial cuts for any short fall maintenance of pumping stations actual availability.

P.T.O.

//2//

2. The above expenditure shall be debited to the Head of Account "2700-01-800-14-26-270-272".
3. The Engineer-in-Chief (O&M), Hyderabad shall take necessary action accordingly.
4. This order issues with the concurrence of Finance (WP) Dept. vide their U.O. No.655033/107/WP//A1/2020, Dated:16.07.2020.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF TELANGANA)

**Dr. RAJAT KUMAR
SPECIAL CHIEF SECRETARY TO GOVERNMENT**

To
The Engineer-in-Chief (O&M), Hyderabad.
The Engineer-in-Chief (General), Hyderabad.
Copy to:-
The Chief Engineer(Irrigation), Nagarkurnool.
The Secretary to Chief Minister, Government of Telangana.
The PS to Special Chief Secretary to Government, I&CAD Deptt..
Sc/Sf.

//FORWARDED : : BY ORDER//

SECTION OFFICER